

	L #	Hits	Search Text
1	L1	1484528	shaft
2	L2	2264031	(shaft rod)
3	L3	7749	2 and (ring near4 (encircl\$4 circl\$4 around surround\$4) near4 (shaft rod))
4	L4	241	3 and (plate near4 (encircl\$4 circl\$4 around surround\$4) near4 (shaft rod))
5	L5	8	4 and (dielectric nonconduct\$4 near4 (disk disc member))
6	L7	0	5 and (conduct\$4 near4 (disk disc member))
7	L8	8	4 and (dielectric nonconduct\$4)
8	L9	6	8 and (conduct\$4)
9	L10	3	9 and (capacit\$4)
10	L11	2	10 and (torque)
11	L12	15	"6218803"
12	L13	6	12 and (shaft rod)
13	L14	1	13 and (ring near4 (encircl\$4 circl\$4 around surround\$4) near4 (shaft rod))
14	L15	2	"5952762"
15	L16	7	"3708740"

	DBs
1	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	USPAT; US-PGPUB; EPO; JPO; DERWENT

	L #	Hits	Search T xt
1	L1	543635	(rotat\$4 revolv\$4 turn\$4 near4 (shaft rod)).clm.
2	L2	3488	1 and (dielectric nonconduct\$4 near4 (disk disc member)).clm.
3	L3	487	2 and (conduct\$4 near4 (disc disk member)).clm.
4	L4	0	3 and (ring near4 (encircl\$4 circl\$4) near4 (shaft rod)).clm.
5	L6	49398	5 and (dielectric nonconduct\$4 near4 (disk disc member))
6	L7	1152	6 and ((second pair two) near4 (conduct\$4) near4 (disc disk member))
7	L8	3	7 and (ring near4 (encircl\$4 around circl\$4) near4 (shaft rod))
8	L9	0	8 and (plate near4 (encircl\$4 around circl\$4) near4 (shaft rod))
9	L10	7749	(ring near4 (encircl\$4 around surround\$4 circl\$4) near4 (shaft rod))
10	L11	241	10 and (plate near4 (encircl\$4 around surround\$4 circl\$4) near4 (shaft rod))
11	L12	0	11 and ((second pair two) near4 (conduct\$4) near4 (disc disk member))
12	L13	8	11 and (dielectric nonconduct\$4 near4 (disk disc member))
13	L14	5	13 and (capacit\$4)
14	L15	5	14 and (ring)
15	L16	15	"6218803"
16	L17	3	16 and (dielectric nonconduct\$4 near4 (disk disc member))

	L #	Hits	Search Text
17	L18	3	17 and (capacit\$4)
18	L19	3	18 and (ring)
19	L20	1	19 and (plate near4 (encircl\$4 around surround\$4 circl\$4) near4 (shaft rod))

	L #	Hits	Search Text	DBs
1	L1	233	(capacit\$4 near3 (torque torsion) near3 (sens\$4 detect\$4 transducer meas\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	L2	2	1 and (ring near3 (circl\$4 encircl\$4 around surround\$4) near3 (shaft rod cylind\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	L3	2	2 and (dielectric nonconduct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	L4	7	"4941363"	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	L5	1	4 and (ring near3 (circl\$4 encircl\$4 around surround\$4) near3 (shaft rod cylind\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT

(Capacit\$ near3 torque).c/m.
 ↓
 torsion\$
 angle
 angular

2 1 & Shaft. c/m.

2 & ((ring disk disc plat\$) near3 (pair
Two
2
speed)) c/m.

4 & & (casing casing
Cage housing. casing).c/m.